

Dot laser, red, 635 nm, 3 mW

DB635-3-3-FA(14x45)-AP
Order Number: 70108613

Main Parameters (*)	min	typ	max	Unit
Wavelength		635		nm
Optical Output Power		3		mW
Operating Voltage	2.7	3	3.3	V DC
Operating Current	30	60	90	mA
Operating Temperature	-20		50	°C
Storage Temperature	-40		80	°C

Main Data

Warranty 1 years

Technical Parameters

Lifetime > 5,000 h
RoHS yes

Optical Parameters

Beam Shape	Dot
Laser Class	3R
Divergence	B - 0.3 mrad
Beam Diameter	5 mm
Size of Laserdot	<3..4mm@10m
Operating Distance	100 m
Optics	glass lens AR coated
Laser technology	diode
Axial Divergence	± 0.25 °
Focus	fixed (10.0m)

Electrical Parameters

Potential of Housing	isolated
Power Supply	Power Supply with stripped/tinned wires, Output: 3.3V DC, Input: 100-240V AC, 50-60Hz, Output Power: 3.3W max.

Mechanical Parameters

Size	Ø14x45 mm
Material	aluminium
Cable length	100 mm
Wire type	26AWG, 0,14mm ²
Output Aperture	5 mm
Weight	18 g

(*) Over the complete operating temperature range

Features



- Operating Voltage 3V DC
- Fixed focus
- Image processing
- Small laser head
- Laser Class 3R


Picture



Cable color

Ground		black	GND
Positive		red	2.7 - 3.3, typ 3 V DC

Drawing



Safety Label



Valid Revision

0 | 11-JAN-2012