

Dot laser, green, 520 nm, 5 mW

DG520-5-5(6.2x20.5)-QCW
Order Number: 70118452

Main Parameters (*)	min	typ	max	Unit
Wavelength	510	520	530	nm
Optical Output Power		5		mW
Operating Voltage	4.5	5	7	V DC
Operating Current	30	60	90	mA
Operating Temperature	-10		60	°C
Storage Temperature	-40		80	°C

Main Data

Warranty 1 years

Technical Parameters

Lifetime >6,000 h
RoHS yes

Optical Parameters

Beam Shape	Dot
Laser Class	3R
Divergence	G - 0.8 mrad
Size of Laserdot	<8mm@10m
Operating Distance	40 m
Optics	glass lens AR coated
Laser technology	Single Mode Diode
Focus	collimated
internal modulation frequency	1 kHz

Electrical Parameters

Power Supply with stripped/tinned wires, Output: 5V DC, Input: 100-240V AC, 50-60Hz, Output Power: 3W max.

Mechanical Parameters

Size	Ø6.2x20.5 mm
Material	aluminium
Cable length	100 mm

Output Aperture	2 mm
Housing Color	black
Weight	3 g
PCB	yes
PCB size	Ø18x7 mm

(*) Over the complete operating temperature range

Features





- Operating Voltage 5V DC
- Laser Class 2
- Compact size
- Modulated

Picture



Cable color

Ground		blue	GND
Positive		red	4.5 - 7, typ 5 V DC

Safety Label



Valid Revision

2 | 27-AUG-2019