

## Dot laser, red, 650 nm, 1 mW

DG650-1-5(12x34)  
Order Number: 70105506

Main Parameters (*)	min	typ	max	Unit
Wavelength		650		nm
Optical Output Power	0.6	1	1	mW
Operating Voltage	4.5	5	5.5	V DC
Operating Current	10	20	30	mA
Operating Temperature	-20		50	°C
Storage Temperature	-40		80	°C

### Main Data

Warranty 1 years

### Technical Parameters

Lifetime > 5,000 h  
RoHS yes

### Optical Parameters

Beam Shape Dot  
Laser Class 2  
Divergence G - 0.8 mrad  
Size of Laserdot adjustable  
Operating Distance 10 m  
Optics glass lens AR coated  
Laser technology diode  
Focus adjustable

### Electrical Parameters

Potential of Housing isolated  
Power Supply Power Supply with stripped/tinned wires, Output: 5V DC, Input: 100-240V AC, 50-60Hz, Output Power: 3W max.

### Mechanical Parameters

Size Ø12x34 mm  
Material Brass  
Cable length 100 mm  
Wire type 26AWG, 0,14mm<sup>2</sup>  
Output Aperture 5 mm  
Housing Color black  
Weight 17 g  
Stripping of wire 5 mm

(\*) Over the complete operating temperature range

### Features



- Operating Voltage 5 V DC
- Laser Class 2
- Low power consumption
- Compact size
- Adjustable focus


### Picture



### Cable color

Ground  black GND  
Positive  red 4.5 - 5.5, typ 5 V DC

### Drawing



### Safety Label



### Valid Revision

7 | 17-JUL-2023